



**Rehabs**

- FWM FDR 2"
- FWM 2" + 10% Patch
- FWM 2" + 20% Patch



## APPENDIX B

Scope of Work and Special Notes for:

# ***Peachtree City Street Paving Projects for 2019***

On Street	From Street	To Street	Area (YD <sup>2</sup> )	Rehab Activity	Notes
AGATE EDGE	SOUTH END	MATTAN PT	941	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
BLUEGRASS TRC	WEST END	JOURNEYS END	1074	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
BRADFORD PT	SE END	BRADFORD WAY	3120	FWM + Thick Overlay (2.0-in) + 20% Strctrl Ptch	None. See Specification Manual for Requirements.
BRADFORD WAY	ROBINSON RD	BRADFORD PT	3171	FWM + Thick Overlay (2.0-in) + 20% Strctrl Ptch	None. See Specification Manual for Requirements.
BRADFORD WAY	BRADFORD PT	EAST END	2374	FWM + Thick Overlay (2.0-in) + 20% Strctrl Ptch	None. See Specification Manual for Requirements.
BROCADE CT	SW END	TAPESTRY TRC	948	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
BROOKINGS LN	WATERMARK DR	PENINSULA DR	2648	FWM + Thick Overlay (2.0-in) + 20% Strctrl Ptch	None. See Specification Manual for Requirements.
BROOKINGS LN	WATERMARK DR	WATERMARK DR	440	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
CABIN GATE	ROCKSPRAY RDG	CHERRY HOLLOW	1990	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
CABIN GATE	CHERRY HOLLOW	ROCKSPRAY RDG	1053	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
CABIN GATE	ROCKSPRAY RDG	LOG HOUSE RD	678	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
CAMDEN COPE	SOUTH END	TAPESTRY TRC	1859	FWM + Full Depth Rclmtn + 2.0-in Olay	50 L.F. Curb/Gutter
CHATTAN TR	WINDALIER RDG	NORTH END	2202	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
CHERRY HOLLOW	SOUTH END	CABIN GATE	849	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
CHIMNEY SWEEP CIR	SMOKERISE TRC	SMOKERISE TRC	5954	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
CLARIN DR	CLARIN WAY	CROSTOWN DR	816	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
CLARIN WAY	SW END	CLARIN DR	1543	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
CLARIN WAY	CLARIN DR	NE END	1392	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.

On Street	From Street	To Street	Area (YD <sup>2</sup> )	Rehab Activity	Notes
CORNFLOWER CT	RAINTREE BEND	NW END	1344	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
CRESCENT OAK	SW END	ENDICOTT RDG	933	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
CRESCENT OAK	ENDICOTT RDG	HASKIN KNOLL	1017	FWM + Full Depth Rclmtn + 2.0-in Olay	Possible 50 L.F. of Curb/Gutter Replacement
CRESCENT OAK	HASKIN KNOLL	VARDON WAY	1031	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
CRESCENT WAY	VARDON WAY	NORTH END	1890	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
CROSSBOW CT	DOE RUN	NORTH END	1162	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
DOE RUN	LONGER DR	CROSSBOW CT	515	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
DOE RUN	CROSSBOW CT	EAST END	757	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
DUMBARTON LN	YARDBOROUGH DR	EAST END	1388	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
ELM DR	WILLOW RD	HIP POCKET RD	2312	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
ENDICOTT RDG	BRAELINN RD	CRESCENT OAK	1388	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
FALLSIDE CT	WEST END	LONGER DR	1545	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
FERN VALE	WEST END	GRAYLOG LN	992	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
FERN VALE	GRAYLOG LN	EAST END	1197	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
FIELDSTONE LN	LONGER DR	FLINTLOCK CT	873	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
FIELDSTONE LN	FLINTLOCK CT	NE END	1473	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
FLINTLOCK CT	SOUTH END	FIELDSTONE LN	900	FWM + Thick Overlay (2.0-in) + 20% Strctrl Ptch	None. See Specification Manual for Requirements.
FOUR WINDS PT	NW END	TRILLIUM REACH	772	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
FOUR WINDS PT	TRILLIUM REACH	SE END	666	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
GELDING GARTH	WEST END	JOURNEYS END	1477	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.

On Street	From Street	To Street	Area (YD <sup>2</sup> )	Rehab Activity	Notes
GLEN HEATHER	WEST END	CHADWICK DR	729	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
GLENDALE DR	SE END	SHANNON RUN	1001	Surface Trtmnt / Seal Coat + Strctrl Ptch	None. See Specification Manual for Requirements.
GLENDALE DR	SHANNON RUN	WEXFORD WAY	1344	Surface Trtmnt / Seal Coat + Strctrl Ptch	None. See Specification Manual for Requirements.
GLENDALE DR	WEXFORD WAY	MCINTOSH TR	929	Surface Trtmnt / Seal Coat + Strctrl Ptch	None. See Specification Manual for Requirements.
GRAPEVINE CURVE	ROCKSPRAY RDG	ROCKSPRAY RDG	2793	FWM + Full Depth Rclmtn + 2.0-in Olay	At 102- 15 L.F of Curb/Gutter 40 L.F. of Curb/Gutter (other locations)
GRAYLOG LN	WINDGATE RD	FERN VALE	745	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
HASKIN KNOLL	SE END	CRESCENT OAK	1916	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
HENREDON HL	WINDALIER RDG	SE END	2881	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
HOLLY SPRINGS DR	HOLLY GROVE RD	LAVENDER OASIS	2059	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
HOLLY SPRINGS DR	LAVENDER OASIS	NORTH END	2569	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	At 132 to 134 (60'X10' Patch)
HUNTINGTON PL	ROBINSON RD	STERLING PT	800	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
HUNTINGTON PL	STERLING PT	ROSSLYN BEND	753	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
HUNTINGTON PL	ROSSLYN BEND	WELMINGTON WAY	1691	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
HUNTINGTON PL	WELMINGTON WAY	YARBOROUGH DR	968	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
IVEYDALE LN	HUNTINGTON PL	WELMINGTON WAY	1876	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	At 1102 Iveydale-Patch
IVEYDALE LN	WELMINGTON WAY	NW END	938	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
JOURNEYS END	DOUBLETRACE LN	GELDING GARTH	898	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
JOURNEYS END	GELDING GARTH	BLUEGRASS TRC	760	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
JOURNEYS END	BLUEGRASS TRC	WINDBREAK PATH	865	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
JOURNEYS END	WINDBREAK PATH	NORTH END	1695	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.

On Street	From Street	To Street	Area (YD <sup>2</sup> )	Rehab Activity	Notes
KENSINGTON DR	SW END	CHADWICK DR	3125	FWM + Full Depth Rclmtn + 2.0-in Olay	1-Golf Cart Crossing to be restriped
KENSINGTON DR	CHADWICK DR	CHADWICK DR	2258	FWM + Full Depth Rclmtn + 2.0-in Olay	At 325-327 Curb/Gutter Replacement 100 L.F. of Curb and Gutter throughout
KNOLLWOOD CT	MERRYWOOD LN	EAST END	1239	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
LAVENDER OASIS	SE END	HOLLY SPRINGS DR	746	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	40 L.F. of Curb/Gutter
LAVENDER OASIS	HOLLY SPRINGS DR	NW END	3026	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	At 208-10 L.F. of Curb/Gutter At 211-20'X10' Patch and 20L.F. of Curb/Gutter
MARGATE CT	TAPESTRY TRC	NE END	665	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
MATTAN PT	NW END	AGATE EDGE	2775	FWM + Full Depth Rclmtn + 2.0-in Olay	30 L.F. Curb/Gutter
MATTAN PT	AGATE EDGE	MORALLION HLS	1075	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
MERRYWOOD LN	SOUTH END	PEMBERTON CT	1747	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
MERRYWOOD LN	PEMBERTON CT	KNOLLWOOD CT	1309	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
MERRYWOOD LN	KNOLLWOOD CT	PEACHTREE PKW	1021	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
MINTON WAY	WEST END	SPOONER RDG	669	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
NIGHTWIND CT	RAINTREE BEND	EAST END	1482	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
OLIVE DR	WILLOW RD	NE END	579	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
PARSONS PL	RAINTREE BEND	EAST END	1638	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
PAT MELL DR	SW END	LONGER DR	1725	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
PEBBLESTUMP PT	WILLOW RD	HIP POCKET RD	2964	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
PEBBLESTUMP PT	HIP POCKET RD	PINECREST DR	2817	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
PEBBLESTUMP PT	PINECREST DR	EAST END	778	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
PEMBERTON CT	SE END	MERRYWOOD LN	2699	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	2-throat inlet replacements and 50 L.F. of Curb/Gutter and At 302 -20 L.F. of

On Street	From Street	To Street	Area (YD <sup>2</sup> )	Rehab Activity	Notes
PENINSULA DR	BROOKINGS LN	PENINSULA DR	3436	FWM + Thick Overlay (2.0-in) + 20% Strctrl Ptch	None. See Specification Manual for Requirements.
PENINSULA DR	PENINSULA DR	PENINSULA DR	585	FWM + Thick Overlay (2.0-in) + 20% Strctrl Ptch	None. See Specification Manual for Requirements.
PENINSULA DR	PENINSULA DR	PENINSULA DR	328	FWM + Thick Overlay (2.0-in) + 20% Strctrl Ptch	None. See Specification Manual for Requirements.
PENINSULA DR	PENINSULA DR	PEACHTREE PKW	740	FWM + Thick Overlay (2.0-in) + 20% Strctrl Ptch	None. See Specification Manual for Requirements.
PETROL PT	HWY 54	PRIME PT	1381	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
PINECREST DR	HILLTOP DR	PEBBLESTUMP PT	2380	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
PLEASANCE GROVE	SOUTH END	WEATHERSTONE WAY	1145	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
PLEASANCE GROVE	WEATHERSTONE WAY	BRAELINN RD	1705	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
ROSEWOOD CT	WINDGATE RD	NW END	1796	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
ROSSLYN BEND	YARBOROUGH DR	HUNTINGTON PL	1603	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
ROUNDLEAF CT	SOUTH END	LONGER DR	2181	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	50 L.F. Curb/Gutter
SANDALIN LN	NW END	WINDALIER RDG	2745	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
SEDGEWICK CT	WEST END	YARBOROUGH DR	1092	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	At 1505- 6'X4' Patch
SMOKERISE CT	SMOKERISE TRC	EAST END	764	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
SMOKERISE TRC	TINSLEY MILL RD	SMOKERISE CT	1829	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
SMOKERISE TRC	SMOKERISE CT	CHIMNEY SWEEP CIR	1316	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
SMOKERISE TRC	CHIMNEY SWEEP CIR	CHIMNEY SWEEP CIR	2510	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
SOUTHWIND REACH	RAINTREE HL	WINDGATE RD	2176	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	Patch at 101 Southwind and shoulder backfill quantities
SPOONER RDG	LONGER DR	MINTON WAY	1094	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
SPOONER RDG	MINTON WAY	SUNGATE	1909	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.

On Street	From Street	To Street	Area (YD <sup>2</sup> )	Rehab Activity	Notes
SPOONER RDG	SUNGATE	KEDRON DR	1156	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
SPRING WK	SOUTH END	WHITFIELD CT	781	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
SPRING WK	WHITFIELD CT	WHITFIELD RUN	1253	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
STERLING PT	SOUTH END	HUNTINGTON PL	2383	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	At 1006 and 1011- Patch and 40L.F. of Curb/Gutter throughout
STRAWFLOWER PATH	RAINTREE BEND	NE END	831	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	Fayette County Water Patch in progress
SUNGATE	SPOONER RDG	NORTH END	824	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
SURRY TR	BRIDLEPATH LN	EAST END	928	FWM + Thick Overlay (2.0-in) + 20% Strctrl Ptch	None. See Specification Manual for Requirements.
SUSSEX TR	YARBOROUGH DR	PEACHTREE PKW	780	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	1-Golf Cart Crossing to be striped
TAPESTRY TRC	SOUTH END	CAMDEN COPE	2646	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
TAPESTRY TRC	CAMDEN COPE	BROCADE CT	1109	FWM + Full Depth Rclmtn + 2.0-in Olay	200 L.F. of Curb/Gutter Drainage issues in cul-de-sac
TAPESTRY TRC	BROCADE CT	CAMERON TR	755	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
TRILLIUM REACH	GALLERY PL	FOUR WINDS PT	1040	FWM + Thick Overlay (2.0-in) + 20% Strctrl Ptch	None. See Specification Manual for Requirements.
VARDON WAY	CRESCENT OAK	ROBINSON RD	896	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
WATERFORD CT	WEDGEWOOD WAY	NE END	867	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
WATERMARK DR	PENINSULA DR	BROOKINGS LN	3849	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
WATERMARK DR	BROOKINGS LN	BROOKINGS LN	1050	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
WEATHERSTONE WAY	PLEASANCE GROVE	NE END	1902	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
WEDGEWOOD WAY	CAMERON TR	WATERFORD CT	724	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
WEDGEWOOD WAY	WATERFORD CT	NORTH END	2462	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
WELMINGTON WAY	IVEYDALE LN	HUNTINGTON PL	1578	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.



On Street	From Street	To Street	Area (YD <sup>2</sup> )	Rehab Activity	Notes
WHISPER TRC	NW END	RAINTREE BEND	1505	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
WHITFIELD CT	SPRING WK	EAST END	1410	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
WILLOW CREEK DR	SW END	WILLOW CREEK DR	1038	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
WILLOW CREEK DR	WILLOW CREEK DR	NE END	1329	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
WILLOW CREEK DR	WILLOW RD	WILLOW CREEK DR	404	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
WINDALIER RDG	BLUE SMOKE TR	CHATTAN TR	860	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
WINDALIER RDG	CHATTAN TR	SANDALIN LN	2882	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
WINDALIER RDG	SANDALIN LN	HENREDON HL	601	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
WINDALIER RDG	HENREDON HL	GALLERY PL	1507	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
WINDBREAK PATH	WEST END	JOURNEYS END	989	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
WYSTERIA CT	WEST END	WHITFIELD RUN	2642	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
YARBOROUGH DR	SEDEGWICK CT	ROSSLYN BEND	954	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
YARBOROUGH DR	ROSSLYN BEND	HUNTINGTON PL	3822	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
YARBOROUGH DR	HUNTINGTON PL	SUSSEX TR	851	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
YARBOROUGH DR	SUSSEX TR	WEST END	2097	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
WINDGATE RD	PEACHTREE PKW NB	BENTWOOD CT	2360	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
WINDGATE RD	BENTWOOD CT	LARKSPUR TURN	594	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
WINDGATE RD	LARKSPUR TURN	ROSEWOOD CT	1442	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
WINDGATE RD	ROSEWOOD CT	RAINTREE BEND	1598	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
WINDGATE RD	RAINTREE BEND	HEARTHSTONE REACH	3355	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.

On Street	From Street	To Street	Area (YD <sup>2</sup> )	Rehab Activity	Notes
WINDGATE RD	HEARTHSTONE REACH	SOUTHWIND REACH	2216	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
WINDGATE RD	SOUTHWIND REACH	WINDGATE CT	3688	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
WINDGATE RD	WINDGATE CT	ROBINSON RD	870	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
GALLERY PL	WINDALIER RDG	SE END	1691	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.