

# APPENDIX B

Scope of Work and Special Notes for:

***Peachtree City Street Paving  
Projects for 2021***

On Street	From Street	To Street	Area (YD <sup>2</sup> )	Rehab Activity	Notes
ABERDEEN DR	GOLFVIEW DR	GOLFVIEW DR	2625	FWM + Thick Overlay (2.0-in) + 20% Strctrl Ptch	None. See Specification Manual for Requirements.
ABRELL WOODS CT	SOUTH END	BRIARLEIGH DR	1359	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
ABRELL WOODS CT	BRIARLEIGH DR	NORTH END	1796	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
AMBROSE LN	WEST END	YORK GATE	1748	Edge Mill + Thin Overlay (3/4-in)	None. See Specification Manual for Requirements.
AMBROSE LN	YORK GATE	RUBICON RD	1670	Edge Mill + Thin Overlay (3/4-in)	None. See Specification Manual for Requirements.
ARDENLEE DR	SOUTH END	CLIFTON LN	1271	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
ARDENLEE DR	CLIFTON LN	DUNELLA LN	802	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
ARDENLEE DR	DUNELLA LN	BROOKGROVE LN	940	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	<b>Remove/Replace Curb and Gutter-10'</b>
ARDENLEE DR	BROOKGROVE LN	WINNOCK PT	882	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
ARDENLEE DR	WINNOCK PT	ARDENLEE PKW	3067	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
ARDENLEE DR	ARDENLEE PKW	CLIFTON LN	1345	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
ARDENLEE PKW	ARDENLEE DR	ST. PAUL LUTHERAN SCHOOL ACCESS ROAD	1367	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
ARDENLEE PKW	ST. PAUL LUTHERAN SCHOOL ACCESS ROAD	ARDENLEE PKW WB	346	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
ARDENLEE PKW	ARDENLEE PKW WB	HWY 74	1505	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
ARDENLEE PKW WB	HWY 74	ST. PAUL LUTHERAN SCHOOL ACCESS ROAD	916	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
ARDENLEE PKW WB	ST. PAUL LUTHERAN SCHOOL ACCESS ROAD	ARDENLEE PKW	456	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
ASTER RIDGE TR	WEST END	TWIN BRIDGE LN	2012	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
ASTER RIDGE TR	TWIN BRIDGE LN	HOLLY GROVE RD	592	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
ATWATER PK	EDGEWATER WAY	LAKEAIRES	757	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	<b>Remove/Replace Curb and Gutter-15'</b>

On Street	From Street	To Street	Area (YD <sup>2</sup> )	Rehab Activity	Notes
ATWATER PK	LAKEAIRES	WATERWOOD BEND	598	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
BANKS RUN	SW END	TIMBER WK	1145	FWM + Full Depth Rclmntn + 2.0-in Olay	None. See Specification Manual for Requirements.
BANKS RUN	TIMBER WK	WATERWOOD BEND	700	FWM + Full Depth Rclmntn + 2.0-in Olay	<b>Remove/Replace Curb and Gutter-20'</b>
BAY VIEW	LAKWOOD LN	BAY VIEW	271	FWM + Full Depth Rclmntn + 2.0-in Olay	None. See Specification Manual for Requirements.
BAY VIEW	BAY VIEW	FISHERS LUCK	362	FWM + Full Depth Rclmntn + 2.0-in Olay	None. See Specification Manual for Requirements.
BAY VIEW	BAY VIEW	FISHERS LUCK	363	FWM + Full Depth Rclmntn + 2.0-in Olay	None. See Specification Manual for Requirements.
BEACHAM LN	SOUTH FAIRFIELD DR	NORTH FAIRFIELD DR	576	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
BEACON TREE WAY	SOUTH END	PINE PT	1059	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
BEACON TREE WAY	PINE PT	WATERWOOD BEND	1110	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
BEDFORD PK	RUBICON RD	PAXTON LN	3445	Edge Mill + Thin Overlay (3/4-in)	None. See Specification Manual for Requirements.
BEDFORD PK	PAXTON LN	EAST END	1957	Edge Mill + Thin Overlay (3/4-in)	None. See Specification Manual for Requirements.
BELLINGRATH CT	BILTMORE TRC	MT VERNON TRC	1590	FWM + Full Depth Rclmntn + 2.0-in Olay	None. See Specification Manual for Requirements.
BELLINGRATH CT	MT VERNON TRC	EAST END	1755	FWM + Full Depth Rclmntn + 2.0-in Olay	None. See Specification Manual for Requirements.
BILTMORE TRC	PEACHTREE PKW	MONTICELLO PL	804	FWM + Full Depth Rclmntn + 2.0-in Olay	None. See Specification Manual for Requirements.
BILTMORE TRC	MONTICELLO PL	BELLINGRATH CT	1919	FWM + Full Depth Rclmntn + 2.0-in Olay	None. See Specification Manual for Requirements.
BILTMORE TRC	BELLINGRATH CT	CALLOWAY CRS	1799	FWM + Full Depth Rclmntn + 2.0-in Olay	None. See Specification Manual for Requirements.
BIRCH RD	SOUTH FAIRFIELD DR	NORTH FAIRFIELD DR	985	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
BOWFIN BAY	BOWFIN BAY	BOWFIN BAY	229	FWM + Full Depth Rclmntn + 2.0-in Olay	None. See Specification Manual for Requirements.
BOWFIN BAY	BOWFIN BAY	BOWFIN BAY	269	FWM + Full Depth Rclmntn + 2.0-in Olay	None. See Specification Manual for Requirements.

On Street	From Street	To Street	Area (YD <sup>2</sup> )	Rehab Activity	Notes
BOWFIN BAY	BOWFIN BAY	SKIFF TRC	1446	FWM + Full Depth Rclmnt + 2.0-in Olay	None. See Specification Manual for Requirements.
BOWFIN BAY	WEST END	BOWFIN BAY	1699	FWM + Full Depth Rclmnt + 2.0-in Olay	None. See Specification Manual for Requirements.
BREWSTER PATH	KENTON PL	NORTH END	667	FWM + Full Depth Rclmnt + 2.0-in Olay	None. See Specification Manual for Requirements.
BRIARLEIGH DR	BROOKGROVE LN	GROVEWOOD LN	1642	FWM + Full Depth Rclmnt + 2.0-in Olay	<b>Remove/Replace Curb and Gutter-20'</b>
BRIARLEIGH DR	GROVEWOOD LN	ABRELL WOODS CT	1213	FWM + Full Depth Rclmnt + 2.0-in Olay	None. See Specification Manual for Requirements.
BROOKGROVE LN	BRIARLEIGH DR	NORTH END	1195	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
BROOKGROVE LN	ARDENLEE DR	BRIARLEIGH DR	2417	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
BROOKWOOD PATH	WATERWOOD BEND	EAST END	1675	FWM + Full Depth Rclmnt + 2.0-in Olay	None. See Specification Manual for Requirements.
BURGESS PT	WEST END	WELTON WAY	1786	FWM + Full Depth Rclmnt + 2.0-in Olay	None. See Specification Manual for Requirements.
CALLOWAY CRS	ROBINSON RD	OAK LAWN CT	947	FWM + Full Depth Rclmnt + 2.0-in Olay	None. See Specification Manual for Requirements.
CALLOWAY CRS	OAK LAWN CT	BILTMORE TRC	1883	FWM + Full Depth Rclmnt + 2.0-in Olay	None. See Specification Manual for Requirements.
CALLOWAY CRS	BILTMORE TRC	DARTMOUTH PL	931	FWM + Full Depth Rclmnt + 2.0-in Olay	None. See Specification Manual for Requirements.
CALLOWAY CRS	DARTMOUTH PL	WOODRUFF WAY	2665	FWM + Full Depth Rclmnt + 2.0-in Olay	None. See Specification Manual for Requirements.
CALLOWAY CRS	WOODRUFF WAY	NORTH END	1803	FWM + Full Depth Rclmnt + 2.0-in Olay	None. See Specification Manual for Requirements.
CASCADE OVERLOOK	SOUTH END	GRAND PRAIRIE CHASE	1225	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
CASCADE OVERLOOK	GRAND PRAIRIE CHASE	NW END	2149	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
CLIFTON LN	ARDENLEE DR	DALSTON WAY	4586	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
CLIFTON LN	DALSTON WAY	ARDENLEE DR	1409	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
COCKSPUR CT	GOLFVIEW DR	NE END	975	FWM + Thick Overlay (2.0-in) + 20% Strctrl Ptch	None. See Specification Manual for Requirements.

On Street	From Street	To Street	Area (YD <sup>2</sup> )	Rehab Activity	Notes
COVE RD	COVE RD	COVE RD	528	FWM + Full Depth Rclmntn + 2.0-in Olay	None. See Specification Manual for Requirements.
COVE RD	COVE RD	DRIFTWOOD CT	747	FWM + Full Depth Rclmntn + 2.0-in Olay	None. See Specification Manual for Requirements.
COVE RD	DRIFTWOOD CT	COVE RD	320	FWM + Full Depth Rclmntn + 2.0-in Olay	None. See Specification Manual for Requirements.
COVE RD	COVE RD	FISHERS LUCK	211	FWM + Full Depth Rclmntn + 2.0-in Olay	None. See Specification Manual for Requirements.
COVE RD	FISHERS LUCK	COVE RD	209	FWM + Full Depth Rclmntn + 2.0-in Olay	None. See Specification Manual for Requirements.
DALSTON WAY	NW END	CLIFTON LN	2545	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
DARTMOUTH PL	NW END	CALLOWAY CRS	2297	FWM + Full Depth Rclmntn + 2.0-in Olay	None. See Specification Manual for Requirements.
DARTMOUTH PL	CALLOWAY CRS	WHITEHALL CLOSE	1193	FWM + Full Depth Rclmntn + 2.0-in Olay	None. See Specification Manual for Requirements.
DARTMOUTH PL	WHITEHALL CLOSE	EAST END	1864	FWM + Full Depth Rclmntn + 2.0-in Olay	None. See Specification Manual for Requirements.
DRIFTWOOD CT	DRIFTWOOD CT	DRIFTWOOD CT	437	FWM + Full Depth Rclmntn + 2.0-in Olay	None. See Specification Manual for Requirements.
DRIFTWOOD CT	DRIFTWOOD CT	COVE RD	322	FWM + Full Depth Rclmntn + 2.0-in Olay	None. See Specification Manual for Requirements.
DRIFTWOOD LN	COVE RD	DRIFTWOOD LN	1796	FWM + Full Depth Rclmntn + 2.0-in Olay	None. See Specification Manual for Requirements.
DRIFTWOOD LN	DRIFTWOOD LN	DRIFTWOOD LN	399	FWM + Full Depth Rclmntn + 2.0-in Olay	<b>Remove/Replace Curb and Gutter-35'</b>
DUNELLA LN	ARDENLEE DR	EAST END	2082	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
EAST HL	SOUTH FAIRFIELD DR	NORTH FAIRFIELD DR	518	FWM + Full Depth Rclmntn + 2.0-in Olay	None. See Specification Manual for Requirements.
EDEN EDGE	SE END	HIGHLANDS WAY	1104	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
EDGEWATER WAY	SE END	ATWATER PK	1315	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
EDGEWATER WAY	ATWATER PK	NW END	2150	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	<b>Remove/Replace Curb and Gutter-15'</b>
EVERDALE RD	SOUTH FAIRFIELD DR	NORTH FAIRFIELD DR	1288	FWM + Full Depth Rclmntn + 2.0-in Olay	None. See Specification Manual for Requirements.

On Street	From Street	To Street	Area (YD <sup>2</sup> )	Rehab Activity	Notes
FAIRFIELD DR	WISDOM RD	SOUTH FAIRFIELD DR	568	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
FAIRFIELD DR	SOUTH FAIRFIELD DR	NORTH FAIRFIELD DR	585	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
FAIRFIELD DR	WEST MNR	SHERRELLS FORD	608	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
FAIRFIELD DR	SHERRELLS FORD	EVERDALE RD	625	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
FAIRFIELD DR	EVERDALE RD	BIRCH RD	758	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
FAIRFIELD DR	BIRCH RD	NORTH FAIRFIELD DR	1893	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
FAIRFIELD DR	NORTH FAIRFIELD DR	BEACHAM LN	2439	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
FAIRFIELD DR	BEACHAM LN	EAST HL	1847	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
FAIRFIELD DR	NORTH FAIRFIELD DR	BIRCH RD	814	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
FAIRFIELD DR	BIRCH RD	EVERDALE RD	618	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
FAIRFIELD DR	EVERDALE RD	SHERRELLS FORD	614	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
FAIRFIELD DR	SHERRELLS FORD	WEST MNR	625	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
FAIRFIELD DR	WEST MNR	NORTH FAIRFIELD DR	851	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
FAIRFIELD DR	WEST MNR	NORTH FAIRFIELD DR	571	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	<b>Remove/Replace Curb and Gutter (10') at 533</b>
FAIRFIELD DR	NORTH FAIRFIELD DR	NORTH FAIRFIELD DR	1401	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
FAIRFIELD DR	NORTH FAIRFIELD DR	NORTH FAIRFIELD DR	511	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
FAIRFIELD DR	NORTH FAIRFIELD DR	NORTH FAIRFIELD DR	739	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
FAIRFIELD DR	NORTH FAIRFIELD DR	WEST MNR	310	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
FAIRFIELD DR	NORTH FAIRFIELD DR	BEACHAM LN	1563	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.

On Street	From Street	To Street	Area (YD <sup>2</sup> )	Rehab Activity	Notes
FAIRFIELD DR	BEACHAM LN	EAST HL	2449	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	Remove/Replace Curb and Gutter (50') at 705,706,722 & 733
FLYROD CT	HARBOR LOOP	EAST END	840	FWM + Full Depth Rclmntn + 2.0-in Olay	None. See Specification Manual for Requirements.
FOUNTAIN GLEN CT	SOUTH END	GRAND PRAIRIE CHASE	1002	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	Remove/Replace Curb and Gutter-60'
GLENEAGLE PT	SE END	HIGHLANDS WAY	1558	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
GLENEAGLE PT	HIGHLANDS WAY	NORTH END	2042	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
GOLFVIEW DR	BLUE SMOKE TR	PINEMOUNT DR	5712	FWM + Full Depth Rclmntn + 2.0-in Olay	Replace Curb and Gutter Multiple Locations. Speed Tables to Installed. See Appendix F for Detail.
GOLFVIEW DR	PINEMOUNT DR	OAKMOUNT DR	1636	FWM + Full Depth Rclmntn + 2.0-in Olay	Replace Curb and Gutter Multiple Locations. Speed Tables to Installed. See Appendix F for Detail.
GOLFVIEW DR	OAKMOUNT DR	FLAT CREEK RD	866	FWM + Full Depth Rclmntn + 2.0-in Olay	Replace Curb and Gutter Multiple Locations. Speed Tables to Installed. See Appendix F for Detail.
GOLFVIEW DR	FLAT CREEK RD	COCKSPUR CT	1006	FWM + Full Depth Rclmntn + 2.0-in Olay	Replace Curb and Gutter Multiple Locations. Speed Tables to Installed. See Appendix F for Detail.
GOLFVIEW DR	COCKSPUR CT	ABERDEEN DR	2143	FWM + Full Depth Rclmntn + 2.0-in Olay	Replace Curb and Gutter Multiple Locations. Speed Tables to Installed. See Appendix F for Detail.
GOLFVIEW DR	ABERDEEN DR	OAKMOUNT DR	539	FWM + Full Depth Rclmntn + 2.0-in Olay	Replace Curb and Gutter Multiple Locations. Speed Tables to Installed. See Appendix F for Detail.
GOLFVIEW DR	OAKMOUNT DR	ABERDEEN DR	1637	FWM + Full Depth Rclmntn + 2.0-in Olay	Replace Curb and Gutter Multiple Locations. Speed Tables to Installed. See Appendix F for Detail.
GOLFVIEW DR	ABERDEEN DR	PINEMOUNT DR	1722	FWM + Full Depth Rclmntn + 2.0-in Olay	Replace Curb and Gutter Multiple Locations. Speed Tables to Installed. See Appendix F for Detail.
GOLFVIEW DR	PINEMOUNT DR	BLUE SMOKE TR	643	FWM + Full Depth Rclmntn + 2.0-in Olay	Replace Curb and Gutter Multiple Locations. Speed Tables to Installed. See Appendix F for Detail.
GRAND PRAIRIE CHASE	CASCADE OVERLOOK	FOUNTAIN GLEN CT	725	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
GRAND PRAIRIE CHASE	FOUNTAIN GLEN CT	TWIN BRIDGE LN	731	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
GROVEWOOD LN	BRIARLEIGH DR	CRABAPPLE LN	2709	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
HENLEY WAY	SOUTH END	RUBICON RD	1097	FWM + Full Depth Rclmntn + 2.0-in Olay	None. See Specification Manual for Requirements.
HIGHLANDS WAY	GLENEAGLE PT	EDEN EDGE	1289	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.



On Street	From Street	To Street	Area (YD <sup>2</sup> )	Rehab Activity	Notes
OAKMOUNT DR	MELROSE CT	GOLFVIEW DR	1157	FWM + Thick Overlay (2.0-in) + 20% Strctrl Ptch	None. See Specification Manual for Requirements.
PERCH PT	SKIFF TRC	EAST END	1520	FWM + Full Depth Rclmtn + 2.0-in Olay	<b>Remove/Replace Curb and Gutter-10'</b>
PINE CONE BREAK	WATERWOOD BEND	NE END	1020	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	<b>Remove/Replace Curb and Gutter-10'</b>
PINE PT	BEACON TREE WAY	NE END	843	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
POSTWOOD TURN	SE END	WATERWOOD BEND	1101	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
ROSEDOWN TRC	SOUTH END	WOODRUFF WAY	1429	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
ROSEDOWN TRC	WOODRUFF WAY	NORTH END	1704	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
SHADOWOOD LN	MCINTOSH TR	SILVERWOOD WAY	4875	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
SHADOWOOD LN	SILVERWOOD WAY	EAST END	2586	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
SHADY CREEK LN	SW END	TWIN BRIDGE LN	838	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
SHADYLAWN CT	SW END	SILVERWOOD WAY	1404	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
SHALE TER	SW END	TWIN BRIDGE LN	755	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
SHERRELLS FORD	SOUTH FAIRFIELD DR	NORTH FAIRFIELD DR	1935	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
SILVERWOOD WAY	MCINTOSH TR	SHADYLAWN CT	765	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
SILVERWOOD WAY	SHADYLAWN CT	SHADOWOOD LN	1361	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
STURDIVANT CT	WOODRUFF WAY	NORTH END	915	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
SWEETWATER OAKS	SWEETWATER OAKS	SWEETWATER OAKS	998	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
SWEETWATER OAKS	SWEETWATER OAKS	SWEETWATER OAKS	2553	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
SWEETWATER OAKS	SWEETWATER OAKS	FISHERS LUCK	266	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.

On Street	From Street	To Street	Area (YD <sup>2</sup> )	Rehab Activity	Notes
<b>SWEETWATER OAKS</b>	FISHERS LUCK	SWEETWATER OAKS	258	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
<b>TIMBER WK</b>	BANKS RUN	EAST END	1095	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
<b>TWIN BRIDGE LN</b>	SE END	SHALE TER	1304	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
<b>TWIN BRIDGE LN</b>	SHALE TER	GRAND PRAIRIE CHASE	843	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
<b>TWIN BRIDGE LN</b>	GRAND PRAIRIE CHASE	SHADY CREEK LN	1837	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
<b>TWIN BRIDGE LN</b>	SHADY CREEK LN	ASTER RIDGE TR	810	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
<b>WATERWOOD BEND</b>	PEACHTREE PKW	LAKESIDE DR	912	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
<b>WATERWOOD BEND</b>	LAKESIDE DR	LAKE PT	1137	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
<b>WATERWOOD BEND</b>	LAKE PT	LAKESIDE DR	1233	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
<b>WATERWOOD BEND</b>	LAKESIDE DR	PINE CONE BREAK	997	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
<b>WATERWOOD BEND</b>	PINE CONE BREAK	ATWATER PK	1641	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
<b>WATERWOOD BEND</b>	ATWATER PK	POSTWOOD TURN	2744	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
<b>WATERWOOD BEND</b>	POSTWOOD TURN	NETTLECURE CT	1494	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
<b>WATERWOOD BEND</b>	NETTLECURE CT	BEACON TREE WAY	1064	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
<b>WATERWOOD BEND</b>	BEACON TREE WAY	BANKS RUN	3475	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
<b>WATERWOOD BEND</b>	BANKS RUN	PEACHTREE PKW SB	1042	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
<b>WELTON WAY</b>	SW END	KEMBLE LN	1016	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
<b>WELTON WAY</b>	KEMBLE LN	RUBICON RD	340	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
<b>WELTON WAY</b>	RUBICON RD	BURGESS PT	692	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
<b>WELTON WAY</b>	BURGESS PT	KENTON PL	543	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.

On Street	From Street	To Street	Area (YD <sup>2</sup> )	Rehab Activity	Notes
WELTON WAY	KENTON PL	KENTON PL	3373	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
WEST MNR	MASONIC PL	SOUTH FAIRFIELD DR	243	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
WEST MNR	SOUTH FAIRFIELD DR	NORTH FAIRFIELD DR	871	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
WEST MNR	NORTH FAIRFIELD DR	NORTH FAIRFIELD DR	1402	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
WHITEHALL CLOSE	DARTMOUTH PL	NORTH END	2185	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
WHITLOCK PL	HWY 74	MASONIC PL	1136	FWM + Thick Overlay (2.0-in) + 20% Strctrl Ptch	None. See Specification Manual for Requirements.
WINDSOR PL	WOODRUFF WAY	NORTH END	1340	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
WINNOCK PT	ARDENLEE DR	NE END	778	FWM + Thick Overlay (2.0-in) + 10% Strctrl Ptch	None. See Specification Manual for Requirements.
WOODRUFF WAY	ROBINSON RD	WINDSOR PL	1275	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
WOODRUFF WAY	WINDSOR PL	CALLOWAY CRS	1800	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
WOODRUFF WAY	CALLOWAY CRS	STURDIVANT CT	1675	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
WOODRUFF WAY	STURDIVANT CT	ROSEDOWN TRC	1720	FWM + Full Depth Rclmtn + 2.0-in Olay	None. See Specification Manual for Requirements.
YORK GATE	AMBROSE LN	NW END	783	Edge Mill + Thin Overlay (3/4-in)	None. See Specification Manual for Requirements.